Safety Data Sheet (SDS)

Revision Number: 1.0	Last updated: Mar 12, 2014	
1. Identification		
Product identifier used on the label and other means of identification:	Name: Dansyl - X, SE; Dansyl - X, NHS ester Catalog Number: 81214 Unit Size: 25mg	
Recommended use/restrictions on use:	For research use only. Not intended for food, drug, household, agricultural or cosmetic use.	
Manufacturer/Distributor:	AnaSpec, Inc. www.anaspec.com 34801 Campus Drive Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572 Email: service@anaspec.com	
Emergency phone number:	1-800-728-2482	
2. Hazards Identification GHS Hazard Classification: GHS Physical Hazards: GHS Health and Environmental Hazard. GHS Signal Words: GHS Hazard Statements:	's:	
GHS Hazard Symbol/Pictogram:		
GHS Precautionary Statements:		
If in EYE	eathing dus/fume/gas/mist/vapour/spray .P261 S, rinse cautiously with water for several minutes. Remove nses if present and easy to do. Continue rinsing. P305+P351+P338	
Description of any hazards not otherwise	e classified: N/A	

Description of any unknown acute toxicity: N/A

HMIS Classification

Health hazard: 0 Flammability: 0 Physical hazards: 0

NFPA Rating

Health hazard: 0

Fire: 0

Reactivity Hazard: 0

3. Composition / Information on Ingredients

Ingredients/Components:

Chemical Name and Synonyms: Dansyl - X, SE; Dansyl - X, NHS ester

CAS No.: N/A EC No.: N/A

Molecular Formula: $C_{22}H_{27}N_3O_6S$ Molecular Weight: 461.53

4. First Aid Measures

Inhalation:	If dust is inhaled, remove from contaminated area.		
	Encourage patient to blow nose to ensure clear passage of breathing.		
	If irritation or discomfort persists seek medical attention.		
Ingestion:	If swallowed do NOT induce vomiting.		
	If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open		
	airway and prevent aspiration.		
	Observe the patient carefully.		

	Give water to 1	rinse out mout	h, then provide liquid slowly and as much as casualty can comfortably drink.	
	Seek medical a			
		r contact occurs:		
	Flush skin and hair with running water (and soap if available).			
Se	Seek medical attention in event of irritation.			
			act with the eyes:	
			fresh running water.	
	Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by			
		onally lifting the upper and lower lids.		
]	If pain persists	or recurs seek	x medical attention.	
5 Fine Fielding	Maaaaaaa			
5. Fire Fighting				
Extinguishing me	dia:		Water spray or fog.	
			Alcohol resistant foam.	
			Dry chemical powder.	
			BCF (where regulations permit).	
			Carbon dioxide	
b) Unusual fire a	and explosion i	hazards	Alert Emergency Responders and tell them location and nature of hazard.	
(hazardous comb			Wear breathing apparatus plus protective gloves.	
(Treated the Control	iisiion produie.	,.	Prevent, by any means available, spillage from entering drains or water course.	
			Use water delivered as a fine spray to control fire and cool adjacent area.	
			DO NOT approach containers suspected to be hot.	
			Cool fire exposed containers with water spray from a protected location.	
			If safe to do so, remove containers from path of fire.	
			Equipment should be thoroughly decontaminated after use.	
			Equipment should be intoloughly decontaininated after use.	
c) PPE for firefig	ghters and		Alert Emergency Responders and tell them location and nature of hazard.	
special firefightin	•	techniques:	Wear breathing apparatus plus protective gloves.	
special fregisming procedures, reciniques.		1	Prevent, by any means available, spillage from entering drains or water course.	
			Use water delivered as a fine spray to control fire and cool adjacent area.	
			DO NOT approach containers suspected to be hot.	
			Cool fire exposed containers with water spray from a protected location.	
			If safe to do so, remove containers from path of fire.	
			Equipment should be thoroughly decontaminated after use.	
			1-1	
6. Accidental Ro	elease Measur	res		
Precautions		Remove all	ignition sources.	
and spill response	e/procedure	Clean up all spills immediately.		
			act with skin and eyes.	
			sonal contact by using protective equipment.	
		Use dry clean up procedures and avoid generating dust.		
		Place in a suitable, labeled container for waste disposal		
Containment materials	erials	Avoid all personal contact, including inhalation.		
		Wear protective clothing when risk of exposure occurs.		
		Use in a well-ventilated area.		
		DO NOT er	nter confined spaces until atmosphere has been checked.	
			low material to contact humans, exposed food or food utensils.	
		Avoid contact with incompatible materials.		
		When hand	ling, DO NOT eat, drink or smoke.	

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

	Keep containers securely sealed when not in use.					
	Avoid physical damage to containers.					
	Always wash hands with soap and water after handling.					
	Use good occupational work practice.					
	Empty containers may contain residual dust which has the potential to accumulate following					
	settling. Such dusts may explode in the presence of an appropriate ignition source.					
	Do NOT cut, drill, grind or weld such containers					
7. Handling and Stora	n <u>ge</u>					
Provisions for safe hand	dling Use personal protective equipment					
Conditions for safe store	Store at -20°C desiccated and protected from light. Store away from oxidizing agent.					
8. Exposure Controls	/ Daysonal Protection					
Exposure limits	OSHA Permissible Exposure Limit(PEL) N/A					
Exposure timits						
Facina :	ACGIH Threshold Limit Values (TLV) N/A					
Engineering controls	Local exhaust ventilation is required where solids are handled as powders or crystals; even when					
	particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the					
	workplace.					
	If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory					
	protection should be considered. Such protection might consist of:					
	(a): particle dust respirators, if necessary, combined with an absorption cartridge;					
	(b): filter respirators with absorption cartridge or canister of the right type;					
	(c): fresh-air hoods or masks					
	Build-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding.					
	der handling equipment such as dust collectors, dryers and mills may require additional protection					
	ures such as explosion venting.					
	contaminants generated in the workplace possess varying "escape" velocities which, in turn, rmine the "capture velocities" of fresh circulating air required to efficiently remove the					
PPE	minant.					
IIL	Use personal protective equipment					
9. Physical and Chem	ical Properties					
a) Appearance	solid					
(Physical State, color, e						
b) Odor	N/A					
c) Odor threshold	N/A					
d) pH	N/A					
e) Initial Boiling Point	Not available					
Boiling Range						
f) Flash Point	Not available					
g) Melting Point/Freezi	Not available					
point	NT / 111					
h) Evaporation Rate:	Not available					
i) Flammability (solid, g	N/A					
j) Upper/Lower	N/A					
Flammability or Explos						
Limits						
k) Vapor Pressure:	Not available					

l) Vapor Density:	Not available				
m) Relative Density	Not available				
n) Solubility(ies)	Not available				
o) Partition Coefficient	Not available				
n-octanol/water	inot available				
p) Auto-Ignition	N/A				
Temperature	N				
q) Decomposition Temperature	Not available				
r) Viscosity	Not available				
s) Other	Not available N/A				
10. Stability and Reactivit					
a) Reactivity		N/A			
b) Chemical stability		N/A			
c) Possibilities of hazardous		N/A			
d) Conditions to avoid		N/A			
e) Incompatible materials		N/A			
f) Hazardous decomposition	n products	COx, NOx when burned			
11. Toxicological Informa					
a) Likely routes of exposure		Absorption through skin or ingestion			
b) Description of the sympto					
c) Effects from short- and long- term exposure	Immediate effects:	May cause irritation and sensitization after prolonged exposure.			
	Delayed effects:	May cause irritation and sensitization after prolonged exposure.			
	Chronic effects:	May cause irritation and sensitization after prolonged exposure.			
d) Toxicity		Not available			
e) Carcinogenicity:		Not available			
12. Ecological Information	<u>n</u>				
13. Disposal Consideratio					
	country, state and/ or to	ll, state and federal regulations. Legislation addressing waste disposal erritory. Each user must refer to laws operating in their area. In some areas,			
14. Transport Information	<u>n</u>				
UN Number	N/A				
Transport hazard Class	N/A				
Packing Group	N/A				
Proper Shipping Name (DO	T/IATA) N/A				
Marine pollutant	N/A				

15. Regulatory Information

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Clean Air Act:

Listed under Hazardous Air Pollutants: N/A Listed under Class 1 Ozone Depletors: N/A Listed under Class 2 Ozone Depletors: N/A

US Clean Water Act:

Listed under "Hazardous Substances": N/A
Listed under "Priority Pollutants": N/A
Listed under "Toxic Pollutants": N/A

US States:

Right-to-Know:

Listed in the following States: N/A California Proposition 65: NO

European/International Regulations:

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

WGK (Water Danger / Protection): N/A Canada – DSL/NDSL: Not Listed Canada – WHMIS classification: N/A

Canada – Canadian Ingredient Disclosure List: Not Listed

16. Other Information

The above information is believed to be correct but does not purport to be all inclusive. Users of this SDS shall understand it is to be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. Users are granted the right to make unlimited copies of this SDS for internal use only. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product. The date of first preparation or last revision is listed at the top of this SDS.