# Material Safety Data Sheet (MSDS)

Manufacturer/Supplier:       I         Manufacturer/Supplier:       I         I       I         Catalog Number       I         Unit Size       I         2. Hazards Identification       I         Emergency Overview: We do recommequipment when handling chemicals. To o investigated.       I         GHS Hazard Classification:       GHS Physical Hazards         GHS Health and Environmental Haza       I         GHS Signal Words: None       I         GHS Hazard Statements: H303,H313, Magendal Statements: H303,H313,	Pluronic® I AnaSpec, In www.anasp 34801 Cam Fremont, C. Tel: 510-79 Fax: 510-79 Email: <u>serv</u> 84040 10g	<u>Dec.com</u> npus Drive 2A 94555 91-9560
Manufacturer/Supplier:       I         Manufacturer/Supplier:       I         I       I         Catalog Number       I         Unit Size       I         2. Hazards Identification       I         Emergency Overview: We do recommequipment when handling chemicals. To o investigated.       I         GHS Hazard Classification:       GHS Physical Hazards         GHS Health and Environmental Haza.       GHS Signal Words: None         GHS Hazard Statements: H303,H313, Magendary       I	AnaSpec, In www.anasp 34801 Cam Fremont, C. Tel: 510-79 Fax: 510-79 Email: <u>serv</u> 84040 10g	nc. <u>bec.com</u> npus Drive 2A 94555 91-9560 91-9572 <u>vice@anaspec.com</u> g all chemicals with caution. Use proper protective
Manufacturer/Supplier:       I         Manufacturer/Supplier:       I         I       I         Catalog Number       I         Unit Size       I         2. Hazards Identification       I         Emergency Overview: We do recommequipment when handling chemicals. To o investigated.       I         GHS Hazard Classification:       GHS Physical Hazards         GHS Health and Environmental Haza       I         GHS Signal Words: None       I         GHS Hazard Statements: H303,H313, Magendal Statements: H303,H313,	AnaSpec, In www.anasp 34801 Cam Fremont, C. Tel: 510-79 Fax: 510-79 Email: <u>serv</u> 84040 10g	nc. <u>bec.com</u> npus Drive 2A 94555 91-9560 91-9572 <u>vice@anaspec.com</u> g all chemicals with caution. Use proper protective
Catalog Number       E         Unit Size       1         2. Hazards Identification       1         Emergency Overview: We do recommequipment when handling chemicals. To o investigated.       1         GHS Hazard Classification: GHS Physical Hazards GHS Health and Environmental Haza.       1         GHS Signal Words: None       1         GHS Hazard Statements: H303,H313, Mag	www.anasp 34801 Cam Fremont, C. Tel: 510-79 Fax: 510-79 Email: <u>serv</u> 84040 10g	pec.com pus Drive A 94555 91-9560 91-9572 rice@anaspec.com g all chemicals with caution. Use proper protective
Catalog Number       I         Unit Size       1         2. Hazards Identification       1         Emergency Overview: We do recommequipment when handling chemicals. To o investigated.       1         GHS Hazard Classification: GHS Physical Hazards GHS Health and Environmental Haza.       1         GHS Signal Words: None       1         GHS Hazard Statements: H303,H313, Mag       1	34801 Cam Fremont, C. Tel: 510-79 Fax: 510-79 Email: <u>serv</u> 84040 10g	ppus Drive 2A 94555 91-9560 91-9572 <u>vice@anaspec.com</u> g all chemicals with caution. Use proper protective
Image: Catalog Number       Image: Catalog Number         Catalog Number       Image: Catalog Number         Unit Size       Image: Catalog Number <b>2. Hazards Identification</b> Image: Catalog Number <b>2. Hazards Identification</b> Image: Catalog Number <b>2. Hazards Identification</b> Image: Catalog Number         equipment when handling chemicals. To o investigated.       Image: Catalog Number         GHS Hazard Classification:       GHS Physical Hazards         GHS Hazard Classification:       GHS Physical Hazards         GHS Signal Words:       None         GHS Hazard Statements:       H303,H313, Mage: Mage	Fremont, C. Tel: 510-79 Fax: 510-79 Email: <u>serv</u> 84040 10g nend handling	A 94555 91-9560 91-9572 <u>vice@anaspec.com</u> g all chemicals with caution. Use proper protective
Catalog Number       I         Init Size       1         2. Hazards Identification       1         Emergency Overview: We do recommequipment when handling chemicals. To o investigated.       1         GHS Hazard Classification: GHS Physical Hazards GHS Health and Environmental Haza.       1         GHS Signal Words: None       1         GHS Hazard Statements: H303,H313, Mage       1	Tel: 510-79 Fax: 510-79 Email: <u>serv</u> 84040 10g	91-9560 91-9572 <u>vice@anaspec.com</u> g all chemicals with caution. Use proper protective
Image: Catalog Number       E         Unit Size       1         2. Hazards Identification       1         Emergency Overview: We do recommendipment when handling chemicals. To obinvestigated.       1         GHS Hazard Classification: GHS Physical Hazards GHS Health and Environmental Haza.       1         GHS Signal Words: None       1         GHS Hazard Statements: H303,H313, Mage       1	Fax: 510-79 Email: <u>serv</u> 84040 10g nend handling	91-9572 vice@anaspec.com g all chemicals with caution. Use proper protective
Catalog Number       §         Unit Size       1         2. Hazards Identification       1         Emergency Overview: We do recommequipment when handling chemicals. To o investigated.       1         GHS Hazard Classification:       6         GHS Hazard Classification:       6         GHS Hazard Classification:       6         GHS Hazard Classification:       6         GHS Hazard Statements:       1         GHS Signal Words:       None         GHS Hazard Statements:       1303,1313, Mag	84040 10g nend handling	g all chemicals with caution. Use proper protective
Catalog Number       §         Unit Size       1         2. Hazards Identification       1         Emergency Overview: We do recommequipment when handling chemicals. To o investigated.       1         GHS Hazard Classification:       6         GHS Hazard Classification:       6         GHS Hazard Classification:       6         GHS Hazard Classification:       6         GHS Hazard Statements:       1         GHS Signal Words:       None         GHS Hazard Statements:       1303,1313, Mag	84040 10g nend handling	g all chemicals with caution. Use proper protective
2. Hazards Identification Emergency Overview: We do recomm equipment when handling chemicals. To o investigated. GHS Hazard Classification: GHS Physical Hazards GHS Health and Environmental Haza. GHS Signal Words: None GHS Hazard Statements: H303,H313, Ma	nend handling	
<ul> <li>2. Hazards Identification</li> <li>2. Hazards Identification</li> <li>Emergency Overview: We do recommequipment when handling chemicals. To o investigated.</li> <li>GHS Hazard Classification: GHS Physical Hazards GHS Health and Environmental Haza.</li> <li>GHS Signal Words: None</li> <li>GHS Hazard Statements: H303,H313, Mage</li> </ul>	nend handling	
Emergency Overview: We do recommequipment when handling chemicals. To o investigated. GHS Hazard Classification: GHS Physical Hazards GHS Health and Environmental Haza. GHS Signal Words: None GHS Hazard Statements: H303,H313, Ma		
equipment when handling chemicals. To o investigated. GHS Hazard Classification: GHS Physical Hazards GHS Health and Environmental Haza. GHS Signal Words: None GHS Hazard Statements: H303,H313, Ma		
investigated. GHS Hazard Classification: GHS Physical Hazards GHS Health and Environmental Haza. GHS Signal Words: None GHS Hazard Statements: H303,H313, Ma	a knowledge	
GHS Hazard Classification: GHS Physical Hazards GHS Health and Environmental Haza GHS Signal Words: None GHS Hazard Statements: H303,H313, Ma		
GHS Physical Hazards GHS Health and Environmental Haza GHS Signal Words: None GHS Hazard Statements: H303,H313, Ma		
		if swallowed or in contact with skin.
irritation	340 May be re	espiratory irritant if inhaled. May cause respiratory tract
	ce requires th	ning, give artificial respiration. If breathing is difficult, give nat exposure be kept to a minimum and that suitable contro g.
Ingestion: If swallowed, wash out mouth	with water p	provided person is conscious. Call a physician.
Skin: In case of contact, immediately wash	h skin with sc	pap and copious amount of water.
Eyes: In case of contact, immediately flush	h eyes with co	opious amounts of water for at least 15 minutes.
Chronic Exposures: No information availa	able. We reco	ommend limiting prolonged exposure.
Target Organs: No information available		

In anodiants /C		
Ingredients/C	omponents:	
Chemical N	Pluronic® F - 127 *Cell Culture Tested * Molecular formula: N/A Molecular weight: N/A CAS-No 9003-11-6 EC-No N/A	
<u>4. First Aid</u> Inhalation:	If dust is inhaled, remove from contaminated area. Encourage patient to blow nose to ensure clear passage of breathing.	
Ingestion:	If irritation or discomfort persists seek medical attention.         If swallowed do NOT induce vomiting.         If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.         Observe the patient carefully.         Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.         Seek medical advice.	
Skin:	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.	
Eyes:	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention.	

Extinguishing media:	Water spray or fog.	
0 0	Alcohol resistant foam.	
	Dry chemical powder.	
	BCF (where regulations permit).	
	Carbon dioxide	
Special firefighting procedures:	Alert Emergency Responders and tell them location and nature of hazard.	
	Wear breathing apparatus plus protective gloves.	
	Prevent, by any means available, spillage from entering drains or water	
	course.	
	Use water delivered as a fine spray to control fire and cool adjacent	
	area.	
	<b>DO NOT</b> approach containers suspected to be hot.	
	Cool fire exposed containers with water spray from a protected	
	location.	
	If safe to do so, remove containers from path of fire.	
	Equipment should be thoroughly decontaminated after use.	
Unusual fire and explosions hazards:	Emits toxic fumes under fire conditions	

# 6. Accidental Release Measures

Spill response	Remove all ignition sources.		
1 1	Clean up all spills immediately.		
	Avoid contact with skin and eyes.		
	Control personal contact by using protective equipment.		
	Use dry clean up procedures and avoid generating dust.		
	Place in a suitable, labeled container for waste disposal		
Containment	Avoid all personal contact, including inhalation.		
	Wear protective clothing when risk of exposure occurs.		
	Use in a well-ventilated area.		
	DO NOT enter confined spaces until atmosphere has been checked.		
	DO NOT allow material to contact humans, exposed food or food utensils.		
	Avoid contact with incompatible materials.		
	When handling, DO NOT eat, drink or smoke.		
	Keep containers securely sealed when not in use.		
	Avoid physical damage to containers.		
	Always wash hands with soap and water after handling.		
	Use good occupational work practice.		
	Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignition source.		
	Do NOT cut, drill, grind or weld such containers		
PPE	Use personal protective equipment		

# 7. Handling and Storage

Store at -20°C desiccated and protected from light. Store away from oxidizing agent.

8.	Exposure	Controls /	Personal	<b>Protection</b>

Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction.
mutual friction.
Exhaust ventilation should be designed to prevent accumulation and re-circulation of
particulates in the workplace.
If in spite of local exhaust an adverse concentration of the substance in air could occur,
respiratory protection should be considered. Such protection might consist of:
(a): particle dust respirators, if necessary, combined with an absorption cartridge;
(b): filter respirators with absorption cartridge or canister of the right type;
(c): fresh-air hoods or masks
Build-up of electrostatic charge on the dust particle, may be prevented by bonding and
grounding.
Powder handling equipment such as dust collectors, dryers and mills may require
additional protection measures such as explosion venting.
Air contaminants generated in the workplace possess varying "escape" velocities which,
in turn, determine the "capture velocities" of fresh circulating air required to efficiently
remove the contaminant.
Use personal protective equipment

# 9. Physical and Chemical Properties

Physical State	solid
Odour	Not available
Solubility in Water	Not available
Specific Gravity	Not available
pН	Not available
Boiling Point	Not available
Melting Point	Not available
Flash Point	N/A
Vapor Pressure:	N/A
Vapor Density:	N/A

#### 10. Stability and Reactivity

Thermal Decomposition	No data available
Dangerous Products of Decomposition	No data available
Dangerous Reactions	COx, NOx when burned

Keep container tightly closed in a dry well-ventilated place. Containers which are opened must be carefully resealed and kept upright. Store in -20°C refrigerator.

# **11. Toxicological Information**

RTECS Number	N/A
Toxicity	No information available.

Health Hazards	Although ingestion is not thought to produce harmful
	effects, the material may still be damaging to the
	health of the individual following ingestion, especially
	where pre-existing organ (e.g. liver, kidney)
	damage is evident. In an occupational setting however,
	ingestion of insignificant quantities is not thought to be
	cause for concern.
Potential Hazards	Not available
Carcinogenicity:	No significant acute toxicological data identified
OSHA Permissible Exposure Limit(PEL) Data	N/A
ACGIH Threshold Limit Values (TLV)	N/A

Reproductive Toxicity:

No information available

#### 12. Ecological Information

No information available.

#### **<u>13. Disposal Considerations</u>**

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

## 14. Transport Information

N/A
N/A
N/A
N/A

#### 15. Regulatory Information

California Proposition 65: N/A US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A US SARA Title III (Superfund Amendments and Reauthorization Act: N/A US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

## 16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The

## AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555 Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573 above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.