Material Safety Data Sheet (MSDS)

Revision Number: 1.0			Last updated Dec 2011
1. Product and Company Idea	<u>tification</u>		
Product Name:	HiLyte Fluor™ 647 ac		
	HiLyte Fluor™ 647 aci	d, NHS ester	
Manufacturer/Supplier:	AnaSpec, Inc.		
	www.anaspec.com		
	34801 Campus Driv	/e	
	Fremont, CA 94555	;	
	Tel: 510-791-9560		
	Fax: 510-791-9572		
	Email: service@ana	ispec.com	
Catalog Number	81256	81256	
Unit Size	1mg	1mg	

2. Hazards Identification

Emergency Overview: We do recommend handling all chemicals with caution. Use proper protective equipment when handling chemicals. To our knowledge, the hazards of this material have not been thoroughly investigated.

GHS Hazard Classification:

GHS Physical Hazards

GHS Health and Environmental Hazards

GHS Signal Words: None

GHS Hazard Statements: H303,H313, May be harmful if swallowed or inhaled GHS Precautionary Statements: P302, H340 May be respiratory irritant if inhaled.

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

3. Compositi	<u>on</u>		
Ingredients/C	omponents:		
Chemical Nai	HiLyte Fluor™ 647 acid, SE HiLyte Fluor™ 647 acid, NHS ester Molecular weight: 1302.71 CAS-No N/A EC-No N/A		
4. First Aid	<u>Measures</u>		
Inhalation:	dust is inhaled, remove from contaminated area. accourage patient to blow nose to ensure clear passage of breathing. irritation or discomfort persists seek medical attention.		
Ingestion:	If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.		
Skin:	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.		
Eyes:	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention.		

Extinguishing media: Special firefighting proced Unusual fire and explosion 6. Accidental Release Me Spill response	lures:	Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use. Emits toxic fumes under fire conditions
Unusual fire and explosion 6. Accidental Release Me	lures:	Dry chemical powder. BCF (where regulations permit). Carbon dioxide Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Unusual fire and explosion 6. Accidental Release Me	lures:	BCF (where regulations permit). Carbon dioxide Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Unusual fire and explosion 6. Accidental Release Me	lures:	Carbon dioxide Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Unusual fire and explosion 6. Accidental Release Me	lures:	Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
Unusual fire and explosion 6. Accidental Release Me		hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
6. Accidental Release Me		Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
6. Accidental Release Me		Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
6. Accidental Release Me		course. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
6. Accidental Release Me		Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
6. Accidental Release Me		area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
6. Accidental Release Me		DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
6. Accidental Release Me		Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
6. Accidental Release Me		location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
6. Accidental Release Me		If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
6. Accidental Release Me		Equipment should be thoroughly decontaminated after use.
6. Accidental Release Me		
6. Accidental Release Me	ns hazards:	Emits toxic fumes under fire conditions
Spill response	<u>easures</u>	
		ignition sources.
		spills immediately.
		act with skin and eyes.
		sonal contact by using protective equipment.
		an up procedures and avoid generating dust.
C		uitable, labeled container for waste disposal
Containment		ersonal contact, including inhalation.
		ctive clothing when risk of exposure occurs. Il-ventilated area.
		nter confined spaces until atmosphere has been checked.
		low material to contact humans, exposed food or food utensils.
		act with incompatible materials.
		ling, DO NOT eat, drink or smoke.
		iners securely sealed when not in use.
		ical damage to containers.
		sh hands with soap and water after handling.
	Use good occupational work practice.	
	Empty conta	ainers may contain residual dust which has the potential to accumulate
		ettling. Such dusts may explode in the presence of an appropriate
	ignition sour	
	Do NOT cut	t, drill, grind or weld such containers
PPE	Use persona	al protective equipment
7. Handling and Storage		

Evnosure Controls	/ Parsonal Protection	n	
8. Exposure Controls Engineering controls	Local exhaust ventile even when particular mutual friction. Exhaust ventilation particulates in the ware of local experiments of local experiments (a): particle dust respiratory protection (a): filter respirators (c): fresh-air hoods Build-up of electross grounding. Powder handling equadditional protection Air contaminants general mutual protection and the particular section of	lation is required where solids are handled as powders or crystals; ates are relatively large, a certain proportion will be powdered by should be designed to prevent accumulation and re-circulation of workplace. xhaust an adverse concentration of the substance in air could occur, on should be considered. Such protection might consist of: spirators, if necessary, combined with an absorption cartridge; s with absorption cartridge or canister of the right type; or masks static charge on the dust particle, may be prevented by bonding and quipment such as dust collectors, dryers and mills may require in measures such as explosion venting. enerated in the workplace possess varying "escape" velocities which,	
		he "capture velocities" of fresh circulating air required to efficiently	
PPE	remove the contami		
PPE	Use personal protec	tive equipment	
9. Physical and Chemi	ical Properties		
Physical State	solid		
Odour	Not available		
Solubility in Water	DMF/ DMSO		
Specific Gravity	Not available		
pH	Not available		
Boiling Point	Not available		
Melting Point	Not available		
Flash Point	N/A		
Vapor Pressure:	N/A		
Vapor Density:	N/A		
10. Stability and Read	ctivity		
Thermal Decomposition	n	No data available	
		No data available	
Dangerous Products of Decomposition Dangerous Reactions		COx, NOx when burned	
Dungerous reactions	_	COA, ITOA WHEN DUINEU	
Keep container tightly of and kept upright. Store		entilated place. Containers which are opened must be carefully resealed	
11. Toxicological Info	rmation		
RTECS Number		N/A	

Toxicity

No information available.

Although ingestion is not thought to produce harmful
effects, the material may still be damaging to the
health of the individual following ingestion, especially
where pre-existing organ (e.g. liver, kidney)
damage is evident. In an occupational setting however,
ingestion of insignificant quantities is not thought to be
cause for concern.
Not available
No significant acute toxicological data identified
N/A
N/A

Reproductive Toxicity:

No information available

12. Ecological Information

No information available.

13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

14. Transport Information

Hazard Class	N/A	
Identification Number	N/A	
Packing Group	N/A	
Proper Shipping Name (DOT)	N/A	

15. Regulatory Information

California Proposition 65: This product does not contain chemicals listed under Proposition 65.

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified

individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.