

# Safety Data Sheet (SDS)

Revision Number: <b>3.0</b>	Last updated 14 November 2018
<b>1. Product and Company Identification</b>	
Product Name:	<b>OPA</b> [o - Phthaldialdehyde] *UltraPure Grade*
Manufacturer/Supplier:	AnaSpec, Inc. <a href="http://www.anaspec.com">www.anaspec.com</a> 34801 Campus Drive Fremont, CA 94555 Tel: 510-791-9560 Fax: 510-791-9572 Email: <a href="mailto:service@anaspec.com">service@anaspec.com</a>  Kaneka Eurogentec SA, Rue du Bois Saint Jean 5 4102 Seraing Belgium Tel. +32-4-3727400 Fax. +32-4-3727500 E-mail info@eurogentec.com  Kaneka Eurogentec Helpdesk Tel. +32-4-3727665
Catalog Number	AS-83012
Relevant identified uses of the substance/preparation and uses advised against	For laboratory use only.
Emergency information	Please contact the regional Eurogentec representation in your country or Kaneka Eurogentec S.A. directly (from 8 am to 6 pm)
<b>2. Hazards Identification</b>	
<p><b>Emergency Overview:</b> We do recommend handling all chemicals with caution. Use proper protective equipment (PPE) when handling chemicals.</p> <p><b>GHS Hazard Classification:</b>          Acute toxicity, Oral (Category 3), H301          Skin corrosion (Category 1B), H314          Serious eye damage (Category 1), H318          Skin sensitization (Category 1), H317          Acute aquatic toxicity (Category 1), H400</p>	

### AnaSpec Inc.

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

Chronic aquatic toxicity (Category 1), H410

*Pictograms:*



**GHS06 : Toxic**



**GHS05: Corrosive**



**GHS09 :  
Environmental  
hazard**

*GHS Signal Words:* Danger

*GHS Hazard Statements:*

H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H410	Very toxic to aquatic life with long lasting effects

*GHS Precautionary Statements:*

P260	Do not breathe dust or mist
P264	Wash skin thoroughly after handling
P270	Do not eat, drink, or smoke when using this product
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P280	Wear protection gloves, protective clothing, eye protection, face protection
P301 + P310	IF SWALLOWED : Immediately call a poison center or doctor/physician
P301 + P330 + P331	IF SWALLOWED : rinse mouth. Do NOT induce vomiting
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340	IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305 + P351 + P338	IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/ physician.
P333 + P313	If skin irritation or rash occurs : Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P391	Collect spillage.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

*Potential Health Effects for:*

*Inhalation:* If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

*Ingestion:* If swallowed, wash out mouth with water provided person is conscious. Call a physician.

*Skin:* In case of contact, immediately wash skin with soap and copious amount of water.

**AnaSpec Inc.**

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

*Eyes:* In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

*Chronic Exposures:* No information available. We recommend limiting prolonged exposure.

*Target Organs:* No information available

**HMIS Classification**

*Health hazard:* Toxic, irritant

*Chronic Health Hazard:* 0

*Flammability:* 0

*Physical hazards:* 0

**NFPA Rating**

*Health hazard:* 0

*Fire:* 0

*Reactivity Hazard:* 0

**3. Composition**

*Ingredients/Components:*

*Chemical Name:*

**OPA**

[*o* - Phthaldialdehyde] \*UltraPure Grade\*

Molecular formula: C<sub>8</sub>H<sub>6</sub>O<sub>2</sub>

Molecular weight: 134.13

CAS-No 643-79-8

EC-No 211-402-2

**4. First Aid Measures**

<i>Inhalation:</i>	If dust is inhaled, remove from contaminated area. Encourage patient to blow nose to ensure clear passage of breathing. If irritation or discomfort persists seek medical attention.
<i>Ingestion:</i>	If swallowed do <b>NOT</b> induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

**AnaSpec Inc.**

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

<i>Skin:</i>	If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
<i>Eyes:</i>	If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention.
<b><u>5. Fire Fighting Measures</u></b>	
<i>Extinguishing media:</i>	Water spray or fog. Alcohol resistant foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide
<i>Special firefighting procedures:</i>	Alert Emergency Responders and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Use water delivered as a fine spray to control fire and cool adjacent area. <b>DO NOT</b> approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.
<i>Unusual fire and explosions hazards:</i>	Emits toxic fumes under fire conditions
<b><u>6. Accidental Release Measures</u></b>	
<i>Spill response</i>	Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labeled container for waste disposal
<i>Containment</i>	Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT enter confined spaces until atmosphere has been checked. DO NOT allow material to contact humans, exposed food or food utensils. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling. Use good occupational work practice. Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignition

**AnaSpec Inc.**

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

	source. Do NOT cut, drill, grind or weld such containers
<i>PPE</i>	Use personal protective equipment
<b><u>7. Handling and Storage</u></b>	
Store at -20 °C, dry desiccated and protected from light. Store away from oxidizing agent.	
<b><u>8. Exposure Controls / Personal Protection</u></b>	
<i>Engineering controls</i>	Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction. Exhaust ventilation should be designed to prevent accumulation and re-circulation of particulates in the workplace. If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of: (a): particle dust respirators, if necessary, combined with an absorption cartridge; (b): filter respirators with absorption cartridge or canister of the right type; (c): fresh-air hoods or masks Build-up of electrostatic charge on the dust particles, may be prevented by bonding and grounding. Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to efficiently remove the contaminant.
<i>PPE</i>	Use personal protective equipment
<b><u>9. Physical and Chemical Properties</u></b>	
<i>Physical State</i>	Solid
<i>Odour</i>	Not available
<i>Solubility in Water</i>	Not available
<i>Specific Gravity</i>	Not available
<i>pH</i>	Not available
<i>Boiling Point</i>	83 °C
<i>Melting Point</i>	54-56 °C
<i>Flash Point</i>	132 °C
<i>Vapor Pressure:</i>	N/A
<i>Vapor Density:</i>	N/A
<b><u>10. Stability and Reactivity</u></b>	
<i>Thermal Decomposition</i>	No data available
<i>Dangerous Products of Decomposition</i>	No data available
<i>Dangerous Reactions</i>	COx, NOx when burned
<i>Incompatible materials</i>	Oxidizing agents, Amines, Strong bases

**AnaSpec Inc.**

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

Keep container tightly closed in a dry well-ventilated place. Store in -20 °C, dry refrigerator.

### **11. Toxicological Information**

<i>RTECS Number</i>	N/A
<i>Toxicity</i>	<b>Acute Toxicity</b> LD50 Oral, rat: 178 mg/kg
<i>Health Hazards</i>	Although ingestion is not thought to produce harmful effects, the material may still be damaging to the health of the individual following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.
<i>Potential Hazards</i>	Not available
<i>Carcinogenicity:</i>	No significant acute toxicological data identified
<i>OSHA Permissible Exposure Limit(PEL) Data</i>	N/A
<i>ACGIH Threshold Limit Values (TLV)</i>	N/A

*Reproductive Toxicity:* No information available

### **12. Ecological Information**

Toxicity to fish	LC50 – Oncorhynchus mykiss (rainbow trout) – 0.072 mg/L – 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 – Daphnia magna (water flea) – 0.087 mg/L – 48 h

### **13. Disposal Considerations**

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

### **14. Transport Information**

<i>Hazard Class</i>	8
<i>Identification Number</i>	2923
<i>Packing Group</i>	II
<i>Proper Shipping Name (DOT)</i>	Corrosive solids, toxic, n.o.s (O-Phthalaldehyde)

### **15. Regulatory Information**

*California Proposition 65:* N/A  
*US TSCA (Toxic Substance Control Act):* N/A  
*US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):* N/A  
*US SARA Title III (Superfund Amendments and Reauthorization Act):* N/A

#### **AnaSpec Inc.**

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573

*US Other:* N/A

*EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number:* N/A

*EC Risk Statements:* N/A

*Other Country Regulations:* N/A

**16. Other Information**

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.

**AnaSpec Inc.**

34801 Campus Drive, Fremont, CA 94555

Toll-Free: 800-452-5530 • Tel: 510-791-9560 • Fax: 510-791-9573