**Material Safety Data Sheet (MSDS)** 

| Revision Number: 2.0        |   | Last updated Mar 28, 2013 |
|-----------------------------|---|---------------------------|
| 1. Product and Company Iden | atification_  |                           |
| Product Name:               | QXL <sup>TM</sup> 570 Acid  |                           |
| Manufacturer/Supplier:      | AnaSpec, Inc.  www.anaspec.com  34801 Campus Drive  Fremont, CA 94555  Tel: 510-791-9560  Fax: 510-791-9572  Email: service@anaspec.com |                           |
| Catalog Number              | 81835-10  |                           |
| Unit Size                   | 10mg  |                           |

## 2. Hazards Identification

*Emergency Overview:* We do recommend handling all chemicals with caution. Use proper protective equipment when handling chemicals. To our knowledge, the hazards of this material have not been thoroughly investigated.

GHS Hazard Classification:

GHS Physical Hazards

GHS Health and Environmental Hazards

GHS Signal Words: None

GHS Hazard Statements: H303,H313, Maybe harmful if swallowed or in contact with skin.

GHS Precautionary Statements: P302, P340 May be respiratory irritant if inhaled. May cause respiratory tract

irritation.

Potential Health Effects for:

Inhalation: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Good hygiene practice requires that exposure be kept to a minimum and that suitable control

measures be used in an occupational setting.

Ingestion: If swallowed, wash out mouth with water provided person is conscious. Call a physician.

Skin: In case of contact, immediately wash skin with soap and copious amount of water.

Eyes: In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

Chronic Exposures: No information available. We recommend limiting prolonged exposure.

Target Organs: No information available

| 3. Composition | <u>Dn</u>   |  |  |
|----------------|---|--|--|
| Ingredients/C  | omponents:  |  |  |
| Chemical N     | QXL <sup>TM</sup> 570 Acid  Molecular formula: N/A  Molecular weight: 597.77  CAS-No N/A  EC-No N/A   |  |  |
| 4. First Aid   | <u>Measures</u>   |  |  |
| Inhalation:    | If dust is inhaled, remove from contaminated area.  Encourage patient to blow nose to ensure clear passage of breathing.  If irritation or discomfort persists seek medical attention.  |  |  |
| Ingestion:     | If swallowed do <b>NOT</b> induce vomiting.  If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.  Observe the patient carefully.  Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.  Seek medical advice. |  |  |
| Skin:          | If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.  |  |  |
| Eyes:          | If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. If pain persists or recurs seek medical attention.   |  |  |

| Hytinguiching modia:             |  |  |  |
|----------------------------------|--|--|--|
| Extinguishing media:             |  | Water spray or fog.  |  |
|                                  |  | Alcohol resistant foam.  |  |
|                                  |  | Dry chemical powder.   |  |
|                                  |  | BCF (where regulations permit). Carbon dioxide   |  |
|                                  |  | Carbon dioxide   |  |
| Special firefighting procedures: |  | Alert Emergency Responders and tell them location and nature of  |  |
|                                  |  | hazard.  |  |
|                                  |  | Wear breathing apparatus plus protective gloves.   |  |
|                                  |  | Prevent, by any means available, spillage from entering drains or water  |  |
|                                  |  | course.  |  |
|                                  |  | Use water delivered as a fine spray to control fire and cool adjacent  |  |
|                                  |  | area.  |  |
|                                  |  | <b>DO NOT</b> approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected      |  |
|                                  |  | location.  |  |
|                                  |  | If safe to do so, remove containers from path of fire.   |  |
|                                  |  | Equipment should be thoroughly decontaminated after use.   |  |
|                                  |  | Z-qu-pmont on out of motoughly decommunities miss user   |  |
| Unusual fire and explos          | ions hazards:  | Emits toxic fumes under fire conditions  |  |
|                                  |  |  |  |
| 6. Accidental Release            | <u>Measures</u>  |  |  |
| Spill response                   |  | ll ignition sources.   |  |
|                                  | Clean up all spills immediately.   |  |  |
|                                  | Avoid contact with skin and eyes.  |  |  |
|                                  | Control personal contact by using protective equipment.                          |  |  |
|                                  | Use dry clean up procedures and avoid generating dust.                           |  |  |
| <u> </u>                         |  | suitable, labeled container for waste disposal   |  |
| Containment                      |  | personal contact, including inhalation.  |  |
|                                  |  | ective clothing when risk of exposure occurs.  |  |
|                                  | Use in a well-ventilated area.   |  |  |
|                                  |  | enter confined spaces until atmosphere has been checked.  allow material to contact humans, exposed food or food utensils. |  |
|                                  |  | tact with incompatible materials.  |  |
|                                  |  | dling, DO NOT eat, drink or smoke.   |  |
|                                  |  | ainers securely sealed when not in use.  |  |
|                                  | Avoid physical damage to containers.   |  |  |
|                                  | Always wash hands with soap and water after handling.                            |  |  |
|                                  | Use good occupational work practice.   |  |  |
|                                  | Empty containers may contain residual dust which has the potential to accumulate |  |  |
|                                  | following  | settling. Such dusts may explode in the presence of an appropriate   |  |
|                                  | ignition so  |  |  |
|                                  | Do NOT o   | ut, drill, grind or weld such containers   |  |
| PPE                              | Use perso  | nal protective equipment   |  |
|                                  |  |  |  |
|                                  |  |  |  |

| Evnosure Controls                                 | / Parsonal Protection  | n  |
|---|--|--|
| 8. Exposure Controls  Engineering controls        | Local exhaust ventile even when particular mutual friction.  Exhaust ventilation particulates in the ward of local erespiratory protection (a): particle dust result (b): filter respirators (c): fresh-air hoods Build-up of electros grounding.  Powder handling equadditional protection Air contaminants generated to the second particular tension of the second parti | lation is required where solids are handled as powders or crystals; ates are relatively large, a certain proportion will be powdered by should be designed to prevent accumulation and re-circulation of workplace. xhaust an adverse concentration of the substance in air could occur, on should be considered. Such protection might consist of: spirators, if necessary, combined with an absorption cartridge; s with absorption cartridge or canister of the right type; or masks static charge on the dust particle, may be prevented by bonding and quipment such as dust collectors, dryers and mills may require in measures such as explosion venting. enerated in the workplace possess varying "escape" velocities which, |
|   |  | he "capture velocities" of fresh circulating air required to efficiently   |
|   | remove the contami   |  |
| PPE   | Use personal protec  | ctive equipment  |
| 9. Physical and Chemi                             |  |  |
| Physical State                                    | solid  |  |
| Odour   | Not available  |  |
| Solubility in Water                               | Not available  |  |
| Specific Gravity pH                               | Not available Not available  |  |
| <u> </u>  | Not available  Not available   |  |
| Boiling Point  Melting Point                      | Not available  |  |
| Flash Point                                       | N/A  |  |
| Vapor Pressure:                                   | N/A  |  |
| Vapor Density:                                    | N/A  |  |
| vapor Bensay.                                     | 1 1/ 1 1   |  |
| 10. Stability and Read                            | etivity  |  |
| Thermal Decomposition                             |  | No data available  |
|   |  |  |
| Dangerous Products of Dangerous Reactions         | Decomposition  | No data available COx, NOx when burned   |
| Daligerous Reactions                              |  | COX, NOX when burned   |
| Keep container tightly of and kept upright. Store |  | entilated place. Containers which are opened must be carefully resealed  |
| 11. Toxicological Info                            | rmation  |  |
| RTECS Number                                      |  | N/A  |

Toxicity

No information available.

| Health Hazards                            | Although ingestion is not thought to produce harmful       |
|---|--|
|   | effects, the material may still be damaging to the         |
|   | health of the individual following ingestion, especially   |
|   | where pre-existing organ (e.g. liver, kidney)              |
|   | damage is evident. In an occupational setting however,     |
|   | ingestion of insignificant quantities is not thought to be |
|   | cause for concern.   |
| Potential Hazards                         | Not available  |
| Carcinogenicity:                          | No significant acute toxicological data identified         |
| OSHA Permissible Exposure Limit(PEL) Data | N/A  |
| ACGIH Threshold Limit Values (TLV)        | N/A  |
|   | ·  |

Reproductive Toxicity:

No information available

## 12. Ecological Information

No information available.

#### 13. Disposal Considerations

All waste must be handled in accordance with local, state and federal regulations. Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

## 14. Transport Information

| <del>-</del>               |     |  |
|----------------------------|-----|--|
| Hazard Class               | N/A |  |
| Identification Number      | N/A |  |
| Packing Group              | N/A |  |
| Proper Shipping Name (DOT) | N/A |  |

# 15. Regulatory Information

California Proposition 65: N/A

US TSCA (Toxic Substance Control Act): N/A

US CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act: N/A

US SARA Title III (Superfund Amendments and Reauthorization Act: N/A

US Other: N/A

EC EINICS (European Inventory of Existing Commercial Chemical Substances) Number: N/A

EC Risk Statements: N/A

Other Country Regulations: N/A

#### 16. Other Information

It is not intended for food, drug, household, agricultural or cosmetic use. A technically qualified individual experienced in handling potentially hazardous chemicals must supervise its use. The

above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Users should make independent decisions regarding completeness of the information based on all sources available. AnaSpec shall not be held liable for any damage resulting from handling or from contact with the above product.